



SAFETY DATA SHEET

ARDEX POLYURETHANE POLYOL

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME ARDEX POLYURETHANE POLYOL

PRODUCT NO. ARDEX R10P PART A, ARDEX R15P PART A, ARDEX R70P PART A, ARDEX R80P PART A, ARDEX R90P PART A

SUPPLIER Ardex UK Limited
Homefield Road
Haverhill
Suffolk
CB9 8QP
Tel. 01440 714939
Fax. 01440 716667
e-mail:
safetydatasheets@ardex.co.uk

EMERGENCY TELEPHONE +44 (0) 870 190 6777 (24 hours)

2 HAZARDS IDENTIFICATION

May cause sensitisation by skin contact. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CLASSIFICATION R43. R52/53.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
BBP	201-622-7	85-68-7	10-30%	Repr. Cat. 2;R61 Repr. Cat. 3;R62 N;R50/53
Pine Oil	232-350-7	8006-64-2	1-5%	Xn;R22. Xi;R38. N;R51/53. R43.

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

INGESTION

Rinse mouth thoroughly. Drink plenty of water. Get medical attention.

SKIN CONTACT

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

EYE CONTACT

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet.

SPILL CLEAN UP METHODS

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

ARDEX POLYURETHANE POLYOL**7 HANDLING AND STORAGE****USAGE PRECAUTIONS**

Avoid spilling, skin and eye contact.

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container. Store above freezing.

STORAGE CLASS

Chemical storage.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	LT - ppm	LT - mg/m3	ST - ppm	ST - mg/m3
BBP	WEL		5 mg/m3		
Pine Oil	WEL		566 mg/m3		850 mg/m3

INGREDIENT COMMENTS

WEL = Workplace Exposure Limits

PROTECTIVE EQUIPMENT**PROCESS CONDITIONS**

Provide eyewash station.

ENGINEERING MEASURES

Provide adequate ventilation. Observe Workplace Exposure Limits and minimise the risk of inhalation of vapours.

RESPIRATORY EQUIPMENT

No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.

HAND PROTECTION

Use suitable protective gloves if risk of skin contact.

EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Emulsion
COLOUR	White / off-white
ODOUR	Pine Oil

10 STABILITY AND REACTIVITY**STABILITY**

Stable under normal temperature conditions.

CONDITIONS TO AVOID

Avoid excessive heat for prolonged periods of time.

HAZARDOUS DECOMPOSITION PRODUCTS

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂).

11 TOXICOLOGICAL INFORMATION

ARDEX POLYURETHANE POLYOL**INHALATION**

Irritating to respiratory system.

INGESTION

May cause stomach pain or vomiting.

SKIN CONTACT

May cause sensitisation by skin contact. Irritating to skin.

EYE CONTACT

May cause severe irritation to eyes.

12 ECOLOGICAL INFORMATION**ECOTOXICITY**

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

MOBILITY

The product is miscible with water. May spread in water systems.

13 DISPOSAL CONSIDERATIONS**DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION

GENERAL	The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).
	No transport warning sign required.
ROAD TRANSPORT NOTES	Not Classified
RAIL TRANSPORT NOTES	Not Classified.
SEA TRANSPORT NOTES	Not Classified.
AIR TRANSPORT NOTES	Not Classified.
MARINE POLLUTANT	No.

15 REGULATORY INFORMATION**LABELLING**

Irritant

CONTAINSBBP
Pine Oil**RISK PHRASES**

R43	May cause sensitisation by skin contact.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SAFETY PHRASES

S24	Avoid contact with skin.
S37	Wear suitable gloves.
S46	If swallowed, seek medical advice immediately and show this container or label.
S56	Dispose of this material and its container to hazardous or special waste collection point.
S2	Keep out of the reach of children

STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations.

ARDEX POLYURETHANE POLYOL

APPROVED CODE OF PRACTICE

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES

Workplace Exposure Limits EH40.

16 OTHER INFORMATION

REVISION DATE 27/06/2008

REV. NO./REPL. SDS GENERATED 1

RISK PHRASES IN FULL

R22	Harmful if swallowed.
R38	Irritating to skin.
R43	May cause sensitisation by skin contact.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R61	May cause harm to the unborn child.
R62	Possible risk of impaired fertility.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



SAFETY DATA SHEET

ARDEX POLYURETHANE ISOCYANATE

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME ARDEX POLYURETHANE ISOCYANATE

PRODUCT NO. ARDEX R8P PART B, ARDEX R10P PART B, ARDEX R15P PART B, ARDEX R70P PART B, ARDEX R80P PART B, ARDEX R90P PART B, ARDEX AF2510 Part B

SUPPLIER Ardex UK Limited
Homefield Road
Haverhill
Suffolk
CB9 8QP
Tel. 01440 714939
Fax. 01440 716667
e-mail:
safetydatasheets@ardex.co.uk

EMERGENCY TELEPHONE +44 (0) 870 190 6777 (24 hours)

2 HAZARDS IDENTIFICATION

Harmful by inhalation. Irritating to eyes, respiratory system and skin. May cause sensitisation by inhalation and skin contact.

CLASSIFICATION Xn;R20. R42/43. Xi;R36/37/38.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
DIPHENYLMETHANEDIISOCYANATE -Isomers & homologues		9016-87-9	10-30%	Xn;R20. Xi;R36/37/38. R42.
METHYLENEDIPHENYL DIISOCYANATE	247-714-0	26447-40-5	60-100%	Xn;R20 R42/43 Xi;R36/37/38

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

GENERAL INFORMATION

Remove affected person from source of contamination.

NOTES TO THE PHYSICIAN

Treatment : Treat according to symptoms (decontamination, vital functions), no known specific antidote, administer corticosteroid dose aerosol to prevent pulmonary odema. Hazards: Symptoms can appear later

INHALATION

Move the exposed person to fresh air at once. Get medical attention. Provide rest, warmth and fresh air.

INGESTION

DO NOT INDUCE VOMITING! Immediately rinse mouth and drink plenty of water. Call an ambulance and take these instructions.

SKIN CONTACT

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention promptly if symptoms occur after washing.

EYE CONTACT

Remove victim immediately from source of exposure. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention. Consult a physician for specific advice.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Extinguish with alcohol-resistant foam, carbon dioxide or dry powder. Water spray.

SPECIAL FIRE FIGHTING PROCEDURES

Cool containers exposed to flames with water until well after the fire is out.

ARDEX POLYURETHANE ISOCYANATE**SPECIFIC HAZARDS**

Carbon dioxide (CO₂). Carbon monoxide (CO). Hydrogen cyanide (HCN). Isocyanate Oxides of: Nitrogen.

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6 ACCIDENTAL RELEASE MEASURES**PERSONAL PRECAUTIONS**

Provide adequate ventilation. Ensure suitable personal protection (including respiratory protection) during removal of spillages in a confined area.

ENVIRONMENTAL PRECAUTIONS

Do not discharge into drains, water courses or onto the ground.

SPILL CLEAN UP METHODS

For large amounts: Pump off product. Absorb with sand or other inert absorbent. Neutralize with a solution of 5-10% Sodium carbonate, 0, 2-2% detergents and 90-95% water.

7 HANDLING AND STORAGE**USAGE PRECAUTIONS**

Avoid spilling, skin and eye contact. Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.

STORAGE PRECAUTIONS

Keep away from water. Keep away from food, drink and animal feeding stuffs. Store away from Acids. Alkalies. Suitable containers: mild steel, stainless steel. Suitable containers: polyethylene. Store in a cool place. Store in tightly closed original container in a well-ventilated place. Formation of CO₂ and build up of pressure possible. Protect from temperatures below: 20C Protect from temperatures above: 35 C

STORAGE CLASS

Chemical storage.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	LT - ppm	LT - mg/m ³	ST - ppm	ST - mg/m ³
DIPHENYLMETHANEDIISOCYANATE -Isomers & homologues	WEL		0.02 mg/m ³ (Sen)		0.07 mg/m ³ (Sen)
METHYLENEDIPHENYL DIISOCYANATE	WEL		0.02 mg/m ³ (Sen)		0.07 mg/m ³ (Sen)

INGREDIENT COMMENTS

WEL = Workplace Exposure Limits

PROTECTIVE EQUIPMENT**ENGINEERING MEASURES**

Provide adequate general and local exhaust ventilation.

RESPIRATORY EQUIPMENT

Respiratory protection in case of vapour/aerosol release. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

HAND PROTECTION

Use protective gloves. Butyl rubber gloves are recommended. Nitrile gloves are recommended.

EYE PROTECTION

Wear approved safety goggles.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact. Wear rubber footwear.

HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap & water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9 PHYSICAL AND CHEMICAL PROPERTIES

ARDEX POLYURETHANE ISOCYANATE

APPEARANCE	Liquid		
COLOUR	Colourless to pale yellow		
ODOUR	Musty (mouldy).		
SOLUBILITY	Hydrolyzes to form water-insoluble compounds		
BOILING POINT (°C)	>200 mBar	RELATIVE DENSITY	1.22 25 C
VAPOUR PRESSURE	<0.01 Pa 25 C	VISCOSITY	50-100 mPas 25
FLASH POINT (°C)	>200 C	AUTO IGNITION TEMPERATURE (°C)	>530

10 STABILITY AND REACTIVITY**STABILITY**

Stable under normal temperature conditions. Thermal decomposition >230 C

CONDITIONS TO AVOID

Avoid contact with acids and oxidising substances.

MATERIALS TO AVOID

Amines. Water. Alcohols. Acids. Alkalines.

HAZARDOUS DECOMPOSITION PRODUCTS

By fire, toxic gases (CO, CO₂, NO_x) may be formed.

11 TOXICOLOGICAL INFORMATION**INHALATION**

Harmful by inhalation. May cause irritation to the respiratory system. May cause sensitisation by inhalation.

INGESTION

Harmful if swallowed.

SKIN CONTACT

Irritating to skin. May cause sensitisation by skin contact.

EYE CONTACT

Irritating to eyes.

TARGET ORGANS

Skin. Eyes. Respiratory system, lungs.

12 ECOLOGICAL INFORMATION**ECOTOXICITY**

The product is not expected to be toxic to aquatic organisms.

13 DISPOSAL CONSIDERATIONS**DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION

GENERAL	The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).
	No transport warning sign required.
ROAD TRANSPORT NOTES	Not Classified
RAIL TRANSPORT NOTES	Not Classified.
SEA TRANSPORT NOTES	Not Classified.
AIR TRANSPORT NOTES	Not Classified.
MARINE POLLUTANT	No.

15 REGULATORY INFORMATION**LABELLING**

ARDEX POLYURETHANE ISOCYANATE

Harmful

CONTAINS

DIPHENYLMETHANEDIISOCYANATE -Isomers & homologues
METHYLENEDIPHENYL DIISOCYANATE

RISK PHRASES

R20 Harmful by inhalation.
R36/37/38 Irritating to eyes, respiratory system and skin.
R42/43 May cause sensitisation by inhalation and skin contact.

SAFETY PHRASES

S23 Do not breathe vapour/spray.
S24/25 Avoid contact with skin and eyes.
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S37 Wear suitable gloves.
S38 In case of insufficient ventilation, wear suitable respiratory equipment.
S45 In case of accident or if you feel unwell, seek medical advice immediately (show label where possible).
S60 This material and its container must be disposed of as hazardous waste.
P4 Contains isocyanates. See information supplied by the manufacturer.

STATUTORY INSTRUMENTS

Control of Substances Hazardous to Health. Chemicals (Hazard Information and Packaging) Regulations.

APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES

Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).

16 OTHER INFORMATION

REVISION DATE 12/06/2008

REV. NO./REPL. SDS GENERATED 1

RISK PHRASES IN FULL

R20 Harmful by inhalation.
R36/37/38 Irritating to eyes, respiratory system and skin.
R42 May cause sensitisation by inhalation.
R42/43 May cause sensitisation by inhalation and skin contact.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



SAFETY DATA SHEET

ARDEX CEMENT BASED PRODUCTS, > 20% PORTLAND CEMENT

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME ARDEX CEMENT BASED PRODUCTS, > 20% PORTLAND CEMENT

PRODUCT NO. ARDEXX78S W, ARDEX K13, ARDEX K301, ARDEX X7R, ARDEX R15P Part C, ARDEXFLEX FL, ARDEX X77G, ARDEX X77W, ARDEX X77S G, ARDEX X77S W, ARDEX X78S G, ARDEX B12, ARDEX X7R W, ARDEXFLEX 5000, ARDEX X7G PLUS, ARDEXFLEX 5001, ARDEXFLEX S38, ARDEXFLEX 6001, ARDEX S21, ARDEX X7, ARDEX C2, ARDEX F4, ARDEX AM100, ARDEX GK, ARDITEX RS TRADE POWDER, ARDEX G6, ARDEX B2, ARDEX EB2, ARDEX R70P Part C, ARDEX FLOOR LEVEL, ARDEXFLEX FS, ARDITEX POWDER, ARDITEX RS POWDER, ARDITEX RS PLUS POWDER, ARDEX Z8, ARDEX K11

SUPPLIER Ardex UK Limited
Homefield Road
Haverhill
Suffolk
CB9 8QP
Tel. 01440 714939
Fax. 01440 716667
e-mail:
safetydatasheets@ardex.co.uk

EMERGENCY TELEPHONE +44 (0) 870 190 6777 (24 hours)

2 HAZARDS IDENTIFICATION

Risk of serious damage to eyes. Irritating to respiratory system and skin.

CLASSIFICATION Xi;R37/38, R41.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
PORTLAND CEMENT	266-043-4	65997-16-2	30-60%	Xi;R41,R36/37/38.

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION

Move the exposed person to fresh air at once. Place unconscious person on the side in the recovery position and ensure breathing. Get medical attention if any discomfort continues.

INGESTION

Immediately rinse mouth and provide fresh air. Get medical attention if any discomfort continues.

SKIN CONTACT

Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if irritation persists after washing.

EYE CONTACT

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet.

SPILL CLEAN UP METHODS

Avoid generation and spreading of dust. Shovel into dry containers. Cover and move the containers. Flush the area with water.

ARDEX CEMENT BASED PRODUCTS, > 20% PORTLAND CEMENT**7 HANDLING AND STORAGE****USAGE PRECAUTIONS**

Avoid spilling, skin and eye contact.

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

STORAGE CLASS

Unspecified storage.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	TWA - 8 hrs		STEL - 15 min		Notes
PORTLAND CEMENT			10 mg/m3 total dust			

INGREDIENT COMMENTS

WEL = Workplace Exposure Limits

PROTECTIVE EQUIPMENT**ENGINEERING MEASURES**

Provide adequate ventilation. Observe Workplace Exposure Limits and minimise the risk of inhalation of dust.

RESPIRATORY EQUIPMENT

No specific recommendation made, but protection against nuisance dust must be used when the general level exceeds 10 mg/m3.

HAND PROTECTION

Use suitable protective gloves if risk of skin contact.

EYE PROTECTION

Wear dust resistant safety goggles where there is danger of eye contact.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENE MEASURES

Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Powder, dust		
COLOUR	Varying		
ODOUR	No characteristic odour.		
SOLUBILITY	Disperses. Immiscible with water		
BULK DENSITY	1100 - 1700 kg/m3	VOLATILE BY VOL. (%)	0
pH-VALUE, DILUTED SOLUTION	>12		

10 STABILITY AND REACTIVITY**STABILITY**

Stable under normal temperature conditions.

CONDITIONS TO AVOID

Avoid contact with acids.

HAZARDOUS POLYMERISATION

Not relevant.

HAZARDOUS DECOMPOSITION PRODUCTS

No hazardous decomposition products.

ARDEX CEMENT BASED PRODUCTS, > 20% PORTLAND CEMENT**11 TOXICOLOGICAL INFORMATION****INHALATION**

Irritating to respiratory system.

INGESTION

May cause discomfort if swallowed.

SKIN CONTACT

Irritating to skin.

EYE CONTACT

Irritating to eyes.

12 ECOLOGICAL INFORMATION**ECOTOXICITY**

Not regarded as dangerous for the environment.

MOBILITY

The product contains substances which are insoluble in water and which sediment in water systems. The product hardens to a solid immobile substance.

BIOACCUMULATION

Accumulates in soil and sediment.

WATER HAZARD CLASSIFICATION

WGK 1

13 DISPOSAL CONSIDERATIONS**DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION**GENERAL**

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

No transport warning sign required.

ROAD TRANSPORT NOTES

Not Classified

RAIL TRANSPORT NOTES

Not Classified.

SEA TRANSPORT NOTES

Not Classified.

AIR TRANSPORT NOTES

Not Classified.

MARINE POLLUTANT

No.

15 REGULATORY INFORMATION**LABELLING**

Irritant

RISK PHRASES

R41

Risk of serious damage to eyes.

R37/38

Irritating to respiratory system and skin.

SAFETY PHRASES

S24/25

Avoid contact with skin and eyes.

S26

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S37/39

Wear suitable gloves and eye/face protection.

S60

This material and its container must be disposed of as hazardous waste.

S22

Do not breathe dust.

ARDEX CEMENT BASED PRODUCTS, > 20% PORTLAND CEMENT

S46 If swallowed, seek medical advice immediately and show this container or label.

STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations.

APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply. Safety Data Sheets for Substances and Preparations.

GUIDANCE NOTES

Workplace Exposure Limits EH40.

16 OTHER INFORMATION

REVISION DATE 23/05/2008

REV. NO./REPL. SDS GENERATED 1

RISK PHRASES IN FULL

R36/37/38 Irritating to eyes, respiratory system and skin.

R41 Risk of serious damage to eyes.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.